

HAND BIKE

KPX130



Item no. KPX130-3617	
General Product Information	
Dimensions LxWxH	1'7" x 3'3" x 3'11"
Age Group	13+
Capacity	1 adult
Color Options	

The Hand Bike is an excellent way to improve your cardiovascular fitness and this one is designed especially accessible for people with physical disabilities. The Hand Bike can suit both those looking for a warm-up, as they get ready for further exercise on other equipment, and those looking for a full aerobic workout. Improved cardiovascular fitness gives you

increased energy and a better health. The Hand Bike was designed in a way that wheelchair users can easily do the exercise from the open side of the Hand Bike. The handles are at the correct height and offer multiple grips.



HAND BIKE

KPX130



For ensuring the integrity of the main frame the support post is made of a hot-dip galvanized steel tube of 6.3", with a wall thickness of 0.16" and has a post cap made of powder-coated aluminum.



The sign consists of a 0.06" aluminum plate with serigraphyprint, sealed by a subsequent anodizing process, screwed on to a machined plate of 0.75" EcoCore™.



Wheel cover is made of vacuum formed RPC (Recycled Polycarbonate). This is a very strong and sustainable way of creating nicely designed products like the wheel cover.



Panels are constructed of 0.75" machined EcoCore™. EcoCore™ is a highly durable, ecofriendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



Handholds are molded of TPU (Thermoplastic Polyurethane). TPU is highly durable against wear and tear, offers isolation and simultaneously gives users an outstanding grip during their workout.



The Crank has a stainless steel AISI 304 shaft and two ball bearings. This will provide a smooth movement, even in the toughest circumstances.


Item no. KPX130-3617	
Installation Information	
Max. fall height	1'8"
Safety surfacing area	122 ft²
Numbers of Installers (persons)	2
Total installation time	3
Excavation volume	0.69 yd³
Concrete volume	0.38 yd³
Footing Depth (Standard)	2' 11"
Shipment Weight	222 lbs
Anchoring options	In-ground ✓ Surface ✓
Warranty information	
Galvanized structural parts	Lifetime
Hollow plastic parts	10 Years
Panels	Lifetime
Bearings	2 Years
Spare parts guaranteed	10 Years

HAND BIKE

KPX130

*Max fall height | **Total height | ***Safety surfacing area

*Max fall height | **Total height



KPX130
* 1'-8" / 51cm
** 3'-11" / 120cm
*** 121.6ft² / 11.3m²
1/8" = 1'-0"



KPX130-xx17
1:100

[Click to see 1:100 ratio TOP VIEW](#)

[Click to see 1:100 ratio SIDE VIEW](#)